

وبلاگ مطالب

## پمپ روغن داغ , قیمت پمپ روغن داغ ترکیه ای کوچک

نویسنده: مدیر صنعت فا تاریخ: ۱۳۹۷/۰۷/۱۱ زمان مطالعه: ۶ دقیقه بازدید: ۱



av\_section min\_height=&#8221; min\_height\_px=&#8217;500px&#8217; padding=&#8217;default&#8217; shadow=&#8217;no-border-styling&#8217; bottom\_border=&#8217;no-border-styling&#8217; bottom\_border\_diagonal\_color=&#8217;#333333&#8242; bottom\_border\_diagonal\_direction=&#8221; bottom\_border\_style=&#8221; id=&#8217;name&#8217; color=&#8217;main\_color&#8217; custom\_bg=&#8221; src=&#8221; attachment=&#8221; attachment\_size=&#8221; attach=&#8217;scroll&#8217; position=&#8217;top left&#8217; repeat=&#8217;no-repeat&#8217; video=&#8221; video\_ratio=&#8217;16:9&#8242; overlay\_opacity=&#8217;0.5&#8242; overlay\_color=&#8221; overlay\_pattern=&#8221; overlay\_custom\_pattern=&#8221; av\_uid=&#8217;av-1n9vj16&#8242;] [av\_textblock size=&#8221; font\_color=&#8221; color=&#8221; av\_uid=&#8217;av-1l2we6y&#8217; داغ ترکیه ای standart , قیمت پمپ روغن داغ پمپیران , فروش پمپ روغن داغ کوچک , پمپ روغن [;hellip&]

av\_section min\_height=" min\_height\_px='500px' padding='default' shadow='no-border-styling' bottom\_border='no-border-styling' bottom\_border\_diagonal\_color='#333333'

bottom\_border\_diagonal\_direction=" bottom\_border\_style=" id='name' color='main\_color' custom\_bg=" src=" attachment=" attachment\_size=" attach='scroll' position='top left' repeat='no-repeat' video=" video\_ratio='16:9' overlay\_opacity='0.5' overlay\_color=" overlay\_pattern=" overlay\_custom\_pattern=" av\_uid='av-1n9vj16']

[av\_textblock size=" font\_color=" color=" av\_uid='av-1l2we6y

پمپ روغن داغ

, ksb , پمپ روغن داغ کوچک , پمپ روغن داغ ای استاندارد , قیمت پمپ روغن داغ پمپیران , فروش پمپ روغن داغ کوچک , پمپ روغن داغ norm , لیست قیمت پمپ روغن داغ ایران تولید

av\_textblock]/

[[/av\_section

[av\_textblock size=" font\_color=" color=" av\_uid='av-1iwsyru]

## محصولات پمپ روغن داغ

[av\_textblock/]

av\_layout\_row border=" min\_height='0' color='main\_color' mobile='av-flex-cells' id='spico' av\_uid='av-1ihok0a']

[av\_cell\_one\_half vertical\_align='top' padding='5px' padding\_sync='true' background\_color=" src=" attachment=" attachment\_size=" background\_attachment='scroll' background\_position='top left' [background\_repeat='no-repeat' mobile\_display=" av\_uid='av-1flok22'

av\_one\_full first min\_height=" vertical\_alignment=" space=" custom\_margin=" margin='0px' padding='0px' border=" border\_color=" radius='0px' background\_color=" src=" background\_position='top [left' background\_repeat='no-repeat' animation=" mobile\_display=" av\_uid='av-1e8fsm2'

av\_image src='/storage/posts/syt.jpg' attachment='2657' attachment\_size='full' align='center' styling=" hover=" link=" target=" caption=" font\_size=" appearance=" overlay\_opacity='0.4' overlay\_color='#000000' overlay\_text\_color='#ffffff' animation='no-animation' [av\_uid='av-1d9806i'][/av\_image

[av\_textblock size=" font\_color=" color=" av\_uid='av-1atfn16']

## پمپ روغن داغ KSB سری SYT

[av\_textblock/]

av\_one\_full][av\_one\_full first min\_height="" vertical\_alignment="" space="" custom\_margin=""/]  
margin='0px' padding='0px' border="" border\_color="" radius='0px' background\_color="" src=""  
background\_position='top left' background\_repeat='no-repeat' animation="" mobile\_display=""  
[av\_uid='av-1995j7u

av\_image src='/storage/posts/hop.jpg' attachment='2665' attachment\_size='full' align='center' styling=""  
hover="" link="" target="" caption="" font\_size="" appearance="" overlay\_opacity='0.4'  
overlay\_color='#000000' overlay\_text\_color='#ffffff' animation='no-animation'  
[av\_uid='av-17ivlca'][/av\_image

[av\_textblock size="" font\_color="" color="" av\_uid='av-165th3e]

## پمپ روغن داغ پمپیران سری hop

[av\_textblock/]

av\_one\_full][av\_one\_full first min\_height="" vertical\_alignment="" space="" custom\_margin=""/]  
margin='0px' padding='0px' border="" border\_color="" radius='0px' background\_color="" src=""  
background\_position='top left' background\_repeat='no-repeat' animation="" mobile\_display=""  
[av\_uid='av-1535l2i

av\_image src='/storage/posts/----.jpg' attachment='2667' attachment\_size='full' align='center' styling=""  
hover="" link="" target="" caption="" font\_size="" appearance="" overlay\_opacity='0.4'  
overlay\_color='#000000' overlay\_text\_color='#ffffff' animation='no-animation'  
[av\_uid='av-12jpm9m'][/av\_image

[av\_textblock size="" font\_color="" color="" av\_uid='av-11m0wuy]

## پمپ روغن داغ استاندارد ترکیه sky

[av\_textblock/]

av\_one\_full][/av\_cell\_one\_half][av\_cell\_one\_half vertical\_align='top' padding='5px' padding\_sync='true']

```
background_color="" src="" attachment="" attachment_size="" background_attachment='scroll'
['background_position='top left' background_repeat='no-repeat' mobile_display="" av_uid='av-z92s9m
av_one_full first min_height="" vertical_alignment="" space="" custom_margin="" margin='0px']
padding='0px' border="" border_color="" radius='0px' background_color="" src="" background_position='top
['left' background_repeat='no-repeat' animation="" mobile_display="" av_uid='av-ym4b6i
av_image src='/storage/posts/nky.jpg' attachment='2653' attachment_size='full' align='center' styling=""
hover="" link="" target="" caption="" font_size="" appearance="" overlay_opacity='0.4'
overlay_color='#000000' overlay_text_color='#ffffff' animation='no-animation'
[av_uid='av-37kaka'][/av_image
[av_textblock size="" font_color="" color="" av_uid='av-v2c9bu]
```

#### پمپ روغن داغ NORM ترکیه سری nky

[av\_textblock/]

```
av_one_full][av_one_full first min_height="" vertical_alignment="" space="" custom_margin=""/]
margin='0px' padding='0px' border="" border_color="" radius='0px' background_color="" src=""
background_position='top left' background_repeat='no-repeat' animation="" mobile_display=""
[av_uid='av-sz4zww
av_image src='/storage/posts/----.jpg' attachment='2666' attachment_size='full' align='center' styling=""
hover="" link="" target="" caption="" font_size="" appearance="" overlay_opacity='0.4'
overlay_color='#000000' overlay_text_color='#ffffff' animation='no-animation' av_uid='av-
[rdlgai'][/av_image
[av_textblock size="" font_color="" color="" av_uid='av-psap16']
```

#### پمپ روغن داغ ایران تولید

[av\_textblock/]

```
av_one_full][av_one_full first min_height="" vertical_alignment="" space="" custom_margin=""/]
margin='0px' padding='0px' border="" border_color="" radius='0px' background_color="" src=""
background_position='top left' background_repeat='no-repeat' animation="" mobile_display=""
```

[av\_uid='av-oeaxd6'

av\_image src='/storage/posts/sihi.jpg' attachment='2668' attachment\_size='full' align='center' styling="" hover="" link="" target="" caption="" font\_size="" appearance="" overlay\_opacity='0.4' overlay\_color='#000000' overlay\_text\_color='#ffffff' animation='no-animation' av\_uid='av-mnoze2'] [/av\_image

[av\_textblock size="" font\_color="" color="" av\_uid='av-krijhru]

### پمپ روغن داغ ایران SIHI آلمان

[av\_textblock/]

av\_one\_full] [/av\_cell\_one\_half/]

[/av\_layout\_row

av\_section min\_height="" min\_height\_px='500px' padding='default' shadow='no-border-styling' bottom\_border='no-border-styling' bottom\_border\_diagonal\_color='#333333' bottom\_border\_diagonal\_direction="" bottom\_border\_style="" id='name' color='main\_color' custom\_bg="" src="" attachment="" attachment\_size="" attach='scroll' position='top left' repeat='no-repeat' video="" video\_ratio='16:9' overlay\_opacity='0.5' overlay\_color="" overlay\_pattern="" overlay\_custom\_pattern="" av\_uid='av-imm2p6']

[av\_textblock size="" font\_color="" color="" av\_uid='av-hf5uyy

### پمپ روغن داغ چیست ؟

**پمپ روغن داغ** در زمره دسته پمپ های سانتریفیوژ قرار میگیرد. که برای پمپاژ آب با درجه حرارت بالا و انتقال و سیرکوله کردن روغن داغ در صنایع مورد استفاده قرار می گیرد . پمپ روغن داغ به صورت افقی یک طبقه و تک مکش تولید می شوند .

### اجزای پمپ روغن داغ

همانند سایر انواع پمپ ها این نوع از پمپ نیز که کاربرد وسیعی در صنعت دارد از :

- پوسته ( محفظه )
- پروانه
- شافت

- یاتاقان

- آب بند

تشکیل شده است .

از خصوصیات ویژه پمپ روغن داغ می توان به توانایی پمپاژ روغن سینتتیک تا دمای 350 درجه و سیرکوله کردن آب تا درمای 180 درجه را نام برد .

## ساختمان پمپ روغن داغ

- پمپ روغن داغ به صورت افقی یک طبقه و یک مکشه گریز از مرکز به همراه محفظه حلزونی است .
- ابعاد اصلی این نوع از پمپ ها و مشخصات کاری مطابق استاندارد (EN 733 (DIN2455 می باشد .
- پروانه بالانس هیدرولیکی و یکسر آویز
- فانج های استاندارد PN10-2-DIN1092
- مکش افقی و رانش عمودی می باشد
- محفظه حلزونی پایه دار و محفظه یاتاقان بدون پایه می باشد.

## انواع پمپ روغن داغ

- مغناطیسی
- سانتریفیوژ
- دنده ای
- کند پمپ

## کاربرد پمپ روغن داغ

همانطور که در بالا نیز اشاره کردیم این نوع از **پمپ** ها کاربرد وسیعی در صنایع دارند در زیر برخی از این صنایع را معرفی می کنیم :

- صنعت خودرو سازی در بخش سستم سرمایشی ماشین آلات جوشکاری مورد استفاده قرار می گیرد .
- صنعت قیرسازی جهت پیش گرمایش مخازن قیر و تار کاربرد دارد .
- در صنعت چوب و کاغذ
- صنعت لاستیک سازی در بخش تزریق پلاستیک جهت گرم کردن قالب و تولید فیبر مورد استفاده قرار میگیرد.
- در صنعت ساختمانی : پرس آجر , قطعات بتنی پیش ساخته
- صنعت گاز و نفت و پتروشیمی

- صنعت نساجی
- صنایع فلزی مانند ذوب آهن و تولید میلگرد و ...
- در صنایع تولید مواد شوینده در سیستم های صابون سازی
- در صنایع تولید مواد غذایی
- و ....

## راه اندازی پمپ روغن داغ

قبل از راه اندازی و شروع به کار پمپ روغن داغ باید محفظه حلزونی را پر کنید و در همین حین نیز با دست محور پمپ را به آرامی می چرخانید تا پمپ کاملاً هواگیری شود .

### \*\*\*توجه

دلیل پر کردن اولیه محفظه از روغن اطمینان از عملکرد درست و مناسب آب بندی محفظه یاتاقان می باشد . نحوه پر کردن بدین شکل است که دوتا درپوش بالایی یاتاقان را باز می کنید و روغن خنک را از یکی از درپوشها به میزانی بریزید که از درپوش دیگر خارج شود ؛ در نهایت هواگیری انجام دهید و در اتمام کار دوتا درپوش را محکم ببندید.

## راه اندازی ابتدایی پمپ روغن داغ

در ابتدای راه اندازی پمپ روغن داغ دمای روغن به آرامی بالا می رود و در محدوده 100 تا 130 درجه می رود . در این صورت آب داخل روغن به طور کامل بخار می شود. و دمای روغن به دمای کاری و نهایی افزایش می یابد. بعد از اینکه پمپ به دمای کاری رسید باید پمپ را خاموش کنید و کوپلینگ را بررسی کنید . و در صورت نیاز قطعات کوپلینگ پمپ را بر روی موتور و پمپ تنظیم کنید و هم مرکزی بین محور پمپ و موتور را کنترل کنید تا انحراف زاویه ای بین آن دو نباشد . توجه داشته باشید محور پمپ بدون هیچ نوع درگیری و اصطکاک با دست بچرخد .

### \*\*\*توجه

در استفاده از پمپ روغن داغ باید از هر گونه نوسانات ناگهانی دما جلوگیری شود.

av\_textblock]/]

[[/av\_section

av\_section min\_height=" min\_height\_px='500px' padding='default' shadow='no-border-styling']  
 bottom\_border='no-border-styling' bottom\_border\_diagonal\_color='#333333'  
 bottom\_border\_diagonal\_direction=" bottom\_border\_style=" id='fix-tell' color='main\_color' custom\_bg=" src=" attachment=" attachment\_size=" attach='scroll' position='top left' repeat='no-repeat' video="

video\_ratio='16:9' overlay\_opacity='0.5' overlay\_color="" overlay\_pattern="" overlay\_custom\_pattern=""  
[av\_uid='av-gd4wka

av\_one\_fifth first min\_height="" vertical\_alignment="" space="" custom\_margin="" margin='0px']  
padding='0px' border="" border\_color="" radius='0px' background\_color="" src="" background\_position='top  
[left' background\_repeat='no-repeat' animation="" mobile\_display="" av\_uid='av-dpjre2'

av\_one\_fifth][av\_one\_fifth min\_height="" vertical\_alignment="" space="" custom\_margin="" margin='0px']  
padding='0px' border="" border\_color="" radius='0px' background\_color="" src="" background\_position='top  
[left' background\_repeat='no-repeat' animation="" mobile\_display="" av\_uid='av-cuppyy

av\_one\_fifth][av\_one\_fifth min\_height="" vertical\_alignment="" space="" custom\_margin="" margin='0px']  
padding='0px' border="" border\_color="" radius='0px' background\_color="" src="" background\_position='top  
[left' background\_repeat='no-repeat' animation="" mobile\_display="" av\_uid='av-ajp1dm

av\_textblock size="" av-medium-font-size="" av-small-font-size="" av-mini-font-size="" font\_color=""  
["=color="" id="" custom\_class="" av\_uid='av-8wxzei' admin\_preview\_bg  
تماس با مشاور فروش صنعت فا

09050985093

[av\_textblock/]

av\_one\_fifth][av\_one\_fifth min\_height="" vertical\_alignment="" space="" custom\_margin="" margin='0px']  
padding='0px' border="" border\_color="" radius='0px' background\_color="" src="" background\_position='top  
[left' background\_repeat='no-repeat' animation="" mobile\_display="" av\_uid='av-7k5anu

av\_textblock size="" av-medium-font-size="" av-small-font-size="" av-mini-font-size="" font\_color=""  
["=color="" id="" custom\_class="" av\_uid='av-5i5jlm' admin\_preview\_bg  
تماس با مشاور فروش صنعت فا

02186053306

[av\_textblock/]

av\_one\_fifth][av\_one\_fifth min\_height="" vertical\_alignment="" space="" custom\_margin="" margin='0px']  
padding='0px' border="" border\_color="" radius='0px' background\_color="" src="" background\_position='top  
[left' background\_repeat='no-repeat' animation="" mobile\_display="" av\_uid='av-4yaqkq

```
av_image src='/storage/posts/--.png' attachment='2655' attachment_size='full' align='center' styling=""
hover="" link='page,2650' target="" caption="" font_size="" appearance="" overlay_opacity='0.4'
overlay_color='#000000' overlay_text_color='#ffffff' animation='no-animation'
[av_uid='av-1uwbkq'][/av_image
[av_one_fifth]][/av_section/]
```